ELSEVIER

Journal of Organometallic Chemistry 581 (1999) 207

Journal of Organometallic Chemistry

Author Index of Volume 581

Al-Ahmad, S., 92
Anisuzzaman, A.K.M., 150
Ashe, A.J., III, 92

Barba, V., 70
Barnes, M.J., 194
Barnum, B.A., 150
Barron, J., 188
Barth, C.D., 150
Barth, R.F., 150
Barton, L., 39
Bertran, J., 188
Brikh, A., 82
Brown, H.C., 116
Bubnov, Y.N., 98

Cai, J., 170
Chung, T.C., 176
Contreras, R., 122
Crawford, C.L., 194

Douglass, A.G., 28
Dozol, J.-F., 188

Fang, X., 92
Farfán, N., 70
Flores-Parra, A., 122
Fujiwara, M., 170

Gabel, D., 45
Gómez, E., 70
Gomez, S., 188
Gridnev, I.D., 98
Grimes, R.N., 1
Gurskii, M.E., 98
Gutiérrez, A., 70

Höpfl, H., 70, 129
Hosmane, N.S., 13
Hyder, M.L., 194

Ito, K., 103
Itsuno, S., 103
Ives, D.H., 150

Janvikul, W., 176

Kabalka, G.W., 66
Kaszynski, P., 28
Kivekäs, R., 188
Kuroda, S., 103

Lesnikowski, Z.J., 156
Li, G., 66
Lunato, A.J., 150

Macias, R., 39
Mai, S., 45
Matteson, D.S., 51
Morin, C., 82
Murali, D., 116

Nakamura, H., 170
Nemoto, H., 170

Ochoa, Ma.E., 70

Perleberg, O., 45
Peterson, R.A., 194

Rath, N.P., 39
Rong, F.-G., 150
Rosendo Rico, A., 122
Rouquette, H., 188

Santillan, R., 70
Schinazi, R.F., 156
Shi, J., 156
Sillanpää, R., 188
Singaram, B., 116
Soloway, A.H., 150

Teixidor, F., 188
Tlahuextl, M., 122

Viñas, C., 188

Wallace, R.H., 87
Wang, K.K., 108
Watanabe, K., 103
Wilmarth, W.R., 194

Yamamoto, Y., 170
Yokoi, A., 103

Zhang, Q., 108
Zhuo, J.-C., 150
Zong, K.K., 87

PII: S0022-328X(99)00220-X

ELSEVIER

Journal of Organometallic Chemistry 581 (1999) 208–210

Journal of Organometallic Chemistry

Subject Index of Volume 581

Antisense oligonucleotides
Nucleic acids and nucleosides containing carboranes, 156
Antiviral
Nucleic acids and nucleosides containing carboranes, 156
Aromatic heterocycle
Boratabenzenes: from chemical curiosities to promising catalysts, 92
Asymmetric hydroboration
Chiral synthesis via organoboranes. 45. Asymmetric hydroboration of 1-cyclopentenol derivatives using diisopinocampheylborane. Synthesis of optically active cyclopentane-1,2-diol derivatives of high optical purity, 116
Asymmetric synthesis
Chiral synthesis via organoboranes. 45. Asymmetric hydroboration of 1-cyclopentenol derivatives using diisopinocampheylborane. Synthesis of optically active cyclopentane-1,2-diol derivatives of high optical purity, 116
The preparation of optically active boronic ester substituted Δ^2-isoxazolines, 87

Block copolymer
Borane-containing polyolefins: synthesis and applications, 176
BNCT
Boronated thiophenols: a preparation of 4-mercaptophenylboronic acid and derivatives, 82
Nucleic acids and nucleosides containing carboranes, 156
Boratabenzenes
Boratabenzenes: from chemical curiosities to promising catalysts, 92
Boron
Functional group compatibilities in boronic ester chemistry, 51
Generation of *o*-quinodimethanes via the electrocyclic reaction of (4Z)-1,2,4,6,7-octapentaenes derived from the organoborate complexes and their subsequent reactions, 108
Identification, development, synthesis and evaluation of boron-containing nucleosides for neutron capture therapy, 150
New perspectives for boronic esters in macrocyclic chemistry, 70
Nucleic acids and nucleosides containing carboranes, 156
Boronates
Application of 1,2:5,6-di-*O*-cyclohexylidene-D-mannitol as the chiral director in Matteson's asymmetric homologation, 66
Boronated thiophenols: a preparation of 4-mercaptophenylboronic acid and derivatives, 82
Boron cages
C-substituted bis(dicarbollide) metal compounds as sensors and extractants of radionuclides from nuclear wastes, 188
Boron complexes
The tetrahedral character of the boron atom newly defined—a useful tool to evaluate the N→B bond, 129
Boron deltahedra
Organic derivatives of *closo*-boranes: a new class of liquid crystal materials, 28
Boronic acid
Boronated thiophenols: a preparation of 4-mercaptophenylboronic acid and derivatives, 82
Boronic acids
Addition reactions of protonic reagents to optically active 2-phenyl-1,3,2-oxazaborolines, 122
Boronic esters
Functional group compatibilities in boronic ester chemistry, 51
New perspectives for boronic esters in macrocyclic chemistry, 70
The preparation of optically active boronic ester substituted Δ^2-isoxazolines, 87
Boron neutron capture therapy
The synthesis of a carborane gadolinium–DTPA complex for boron neutron capture therapy, 170

Carbon-containing substituents
The formation of boron–carbon bonds to *closo*-decaborate(2−) and *closo*-dodecaborate(2−), 45
Carborane
The synthesis of a carborane gadolinium–DTPA complex for boron neutron capture therapy, 170
Carboranes
Nucleic acids and nucleosides containing carboranes, 156
Synthesis and characterization of a new dicage *ortho*-carborane with a supramolecular structure directed by intermolecular $C\text{-}H_{carborane}\cdots O$ bonds, 39
Catalysts
Boratabenzenes: from chemical curiosities to promising catalysts, 92
Chelating reagent
The synthesis of a carborane gadolinium–DTPA complex for boron neutron capture therapy, 170
Chiral cyclopentane-1,2-diols
Chiral synthesis via organoboranes. 45. Asymmetric hydroboration of 1-cyclopentenol derivatives using diisopinocampheylborane. Synthesis of optically active cyclopentane-1,2-diol derivatives of high optical purity, 116
Chirality
Addition reactions of protonic reagents to optically active 2-phenyl-1,3,2-oxazaborolines, 122
Chirally modified allylboron reagents
Enantioselective synthesis of optically active homoallylamines by allylboration of *N*-diisobutylaluminum imines, 103
Coordinative N→B bond
The tetrahedral character of the boron atom newly defined—a useful tool to evaluate the N→B bond, 129
Copper-catalyzed decomposition
Copper-catalyzed sodium tetraphenylborate, triphenylborane, diphenylborinic acid and phenylboronic acid decomposition kinetic studies in aqueous alkaline solutions, 194
Crystal engineering
Synthesis and characterization of a new dicage *ortho*-carborane with a supramolecular structure directed by intermolecular $C\text{-}H_{carborane}\cdots O$ bonds, 39
Cycloadditions
The preparation of optically active boronic ester substituted Δ^2-isoxazolines, 87

PII: S0022-328X(99)00221-1

Dicarbollides
C-substituted bis(dicarbollide) metal compounds as sensors and extractants of radionuclides from nuclear wastes, 188
Diisopinocampheylborane
Chiral synthesis via organoboranes. 45. Asymmetric hydroboration of 1-cyclopentenol derivatives using diisopinocampheylborane. Synthesis of optically active cyclopentane-1,2-diol derivatives of high optical purity, 116
1,2:5,6-Di-*O*-cyclohexylidene-D-mannitol
Application of 1,2:5,6-di-*O*-cyclohexylidene-D-mannitol as the chiral director in Matteson's asymmetric homologation, 66
Diphenylborinic acid
Copper-catalyzed sodium tetraphenylborate, triphenylborane, diphenylborinic acid and phenylboronic acid decomposition kinetic studies in aqueous alkaline solutions, 194

Electrocyclization
Generation of *o*-quinodimethanes via the electrocyclic reaction of (4*Z*)-1,2,4,6,7-octapentaenes derived from the organoborate complexes and their subsequent reactions, 108
Enantioselective synthesis
Enantioselective synthesis of optically active homoallylamines by allylboration of *N*-diisobutylaluminum imines, 103
Enol-ethers
Chiral synthesis via organoboranes. 45. Asymmetric hydroboration of 1-cyclopentenol derivatives using diisopinocampheylborane. Synthesis of optically active cyclopentane-1,2-diol derivatives of high optical purity, 116
Ephedrine
Addition reactions of protonic reagents to optically active 2-phenyl-1,3,2-oxazaborolines, 122

Friedel–Crafts
The formation of boron–carbon bonds to *closo*-decaborate(2 −) and *closo*-dodecaborate(2 −), 45
Functional groups
Functional group compatibilities in boronic ester chemistry, 51

Gadolinium
The synthesis of a carborane gadolinium–DTPA complex for boron neutron capture therapy, 170
Graft copolymer
Borane-containing polyolefins: synthesis and applications, 176

Half- and full-sandwich
Recent advances in the chemistry of small cage Main Group metallacarboranes, 13
Halogenation
The formation of boron–carbon bonds to *closo*-decaborate(2 −) and *closo*-dodecaborate(2 −), 45
Heterocycles
Addition reactions of protonic reagents to optically active 2-phenyl-1,3,2-oxazaborolines, 122
Homologation
Application of 1,2:5,6-di-*O*-cyclohexylidene-D-mannitol as the chiral director in Matteson's asymmetric homologation, 66
Hydrogen bonding
Synthesis and characterization of a new dicage *ortho*-carborane with a supramolecular structure directed by intermolecular C-$H_{carborane}$···O bonds, 39

Isoxazolines
The preparation of optically active boronic ester substituted Δ^2-isoxazolines, 87

Kinetics
Copper-catalyzed sodium tetraphenylborate, triphenylborane, diphenylborinic acid and phenylboronic acid decomposition kinetic studies in aqueous alkaline solutions, 194

Liquid crystals
Organic derivatives of *closo*-boranes: a new class of liquid crystal materials, 28

Macrocyclic chemistry
New perspectives for boronic esters in macrocyclic chemistry, 70
Main Group complexes
Recent advances in the chemistry of small cage Main Group metallacarboranes, 13
Mercapto
Boronated thiophenols: a preparation of 4-mercaptophenylboronic acid and derivatives, 82
Mesogens
Organic derivatives of *closo*-boranes: a new class of liquid crystal materials, 28
Metal extractants
C-substituted bis(dicarbollide) metal compounds as sensors and extractants of radionuclides from nuclear wastes, 188
Metallacarboranes
Recent advances in the chemistry of small cage Main Group metallacarboranes, 13
Small carborane ligands as spectators and as players, 1
Metallocenes
Borane-containing polyolefins: synthesis and applications, 176
Metal sensors
C-substituted bis(dicarbollide) metal compounds as sensors and extractants of radionuclides from nuclear wastes, 188

N-Diisobutylaluminum imine
Enantioselective synthesis of optically active homoallylamines by allylboration of *N*-diisobutylaluminum imines, 103
Nematic phases
Organic derivatives of *closo*-boranes: a new class of liquid crystal materials, 28
Neutron capture
Identification, development, synthesis and evaluation of boron-containing nucleosides for neutron capture therapy, 150
Nitrile oxides
The preparation of optically active boronic ester substituted Δ^2-isoxazolines, 87
N-Metalloimine
Enantioselective synthesis of optically active homoallylamines by allylboration of *N*-diisobutylaluminum imines, 103
Nuclear wastes
C-substituted bis(dicarbollide) metal compounds as sensors and extractants of radionuclides from nuclear wastes, 188
Nucleosides
Identification, development, synthesis and evaluation of boron-containing nucleosides for neutron capture therapy, 150
Nucleic acids and nucleosides containing carboranes, 156

Optically active homoallylamine
Enantioselective synthesis of optically active homoallylamines by allylboration of *N*-diisobutylaluminum imines, 103
o-Quinodimethanes
Generation of *o*-quinodimethanes via the electrocyclic reaction of (4*Z*)-1,2,4,6,7-octapentaenes derived from the organoborate complexes and their subsequent reactions, 108
Organoborates
Generation of *o*-quinodimethanes via the electrocyclic reaction of (4*Z*)-1,2,4,6,7-octapentaenes derived from the organoborate complexes and their subsequent reactions, 108

Phenylboronic acid
Copper-catalyzed sodium tetraphenylborate, triphenylborane, diphenylborinic acid and phenylboronic acid decomposition kinetic studies in aqueous alkaline solutions, 194
2,6-Pyridinedimethanol, 2-salicylideneaminoethanol
New perspectives for boronic esters in macrocyclic chemistry, 70

Reaction path
The tetrahedral character of the boron atom newly defined—a useful tool to evaluate the N→B bond, 129

Sandwich compounds
Small carborane ligands as spectators and as players, 1
Sigmatropic shift
Selective reactions of minor tautomers among allylic type triorganoboranes, 98
Sodium tetraphenylborate
Copper-catalyzed sodium tetraphenylborate, triphenylborane, diphenylborinic acid and phenylboronic acid decomposition kinetic studies in aqueous alkaline solutions, 194
'Spectator' ligand
Small carborane ligands as spectators and as players, 1
Structural lability
Selective reactions of minor tautomers among allylic type triorganoboranes, 98
Supramolecular
Synthesis and characterization of a new dicage *ortho*-carborane with a supramolecular structure directed by intermolecular $C\text{-}H_{carborane}\cdots O$ bonds, 39

Tetrahedral character
The tetrahedral character of the boron atom newly defined—a useful tool to evaluate the N→B bond, 129
Thioethers
Boronated thiophenols: a preparation of 4-mercaptophenylboronic acid and derivatives, 82
Triorganoboranes
Selective reactions of minor tautomers among allylic type triorganoboranes, 98
Triphenylborane
Copper-catalyzed sodium tetraphenylborate, triphenylborane, diphenylborinic acid and phenylboronic acid decomposition kinetic studies in aqueous alkaline solutions, 194

Van der Waals interactions
The tetrahedral character of the boron atom newly defined—a useful tool to evaluate the N→B bond, 129

X-ray crystallography
New perspectives for boronic esters in macrocyclic chemistry, 70

Ziegler–Natta catalyst
Borane-containing polyolefins: synthesis and applications, 176
(*Z*)-1,2,4,6,7-Octapentaenes
Generation of *o*-quinodimethanes via the electrocyclic reaction of (4*Z*)-1,2,4,6,7-octapentaenes derived from the organoborate complexes and their subsequent reactions, 108